



TAPER ROLLER BEARINGS

d	D	T	B	C	Bearing No.	kg
15	35.00	11.75	11.00	10.00	30202	0.053
	42.00	14.25	13.00	11.00	30202	0.096
17	40.00	13.25	12.00	11.00	30203	0.082
	47.00	15.25	14.00	12.00	30303	0.13
	47.00	20.25	19.00	16.00	32303	0.174
19.05	45.25	15.494	16.64	12.07	7804Y	0.124
20	47.00	15.25	14.00	12.00	30204	0.128
	47.00	19.25	18.00	15.00	32204	0.161
	52.00	16.25	15.00	13.00	30304	0.166
	52.00	16.25	16.00	12.00	30304C	0.168
	52.00	22.25	21.00	18.00	32304	0.231
25	47.00	15.00	15.00	11.50	32005	0.115
	47.00	15.00	15.00	11.50	25KW01	0.112
	52.00	16.25	15.00	13.00	30205	0.153
	52.00	19.25	18.00	16.00	32205	0.184
	52.00	22.00	22.00	18.00	33205	0.23
	62.00	18.25	17.00	13.00	31305	0.264
	62.00	18.25	17.00	14.00	30305C	0.266
	62.00	18.25	17.00	15.00	30305	0.266
	62.00	25.25	24.00	20.00	32305	0.367
26	57.15	17.46	17.46	14.00	7805Y	0.222
28	52.00	16.00	16.00	12.00	320/28	0.142
	58.00	24.00	24.00	19.00	332/28	0.293
30	55.00	17.00	17.00	13.00	32006	0.172
30	62.00	17.25	16.00	14.00	30206	0.232
	62.00	21.25	20.00	17.00	32206	0.29
	62.00	25.00	25.00	19.50	33206	0.37
	72.00	20.75	19.00	14.00	31306	0.393
	72.00	20.75	19.00	16.00	30306	0.391
	72.00	20.75	19.00	16.00	TRA0607*	0.397
	72.00	24.30	23.00	18.00	R30-11N**	0.477
	72.00	24.30	24.00	17.60	22706E	0.481
	72.00	28.75	27.00	23.00	32306	0.56
32	58.00	17.00	17.00	13.00	320/32	0.191
	58.00	17.00	17.00	13.00	320/32A	0.188
	65.00	26.00	26.00	20.50	332/32	0.395
	75.00	29.75	28.00	23.00	323/32B	0.623
35	62.00	18.00	18.00	14.00	32007	0.227
	72.00	18.25	17.00	15.00	30207	0.337
	72.00	24.25	23.00	19.00	32207	0.45
	72.00	28.00	28.00	22.00	33207	0.522
	80.00	22.75	21.00	15.00	31307	0.518
	80.00	22.75	21.00	18.00	30307	0.484
	80.00	29.25	28.50	22.00	TR070803C	0.711




TAPER ROLLER BEARINGS

d	D	T	B	C	Bearing No.	kg
35	80.00	32.75	31.00	25.00	32307	0.77
40	68.00	19.00	19.00	14.50	32008	0.77
	75.00	26.00	26.00	20.50	33108	0.422
	80.00	19.75	18.00	16.00	30208	0.422
40	80.00	24.75	23.00	19.00	32208	0.535
	80.00	32.00	32.00	25.00	33208	0.535
	90.00	25.25	23.00	17.00	31308	0.727
	90.00	25.25	23.00	20.00	30308	0.751
	90.00	35.25	33.00	27.00	32308	1.05
41	68.00	19.00	21.00	14.50	BT1B328053	0.256
45	75.00	20.00	20.00	15.50	32009	0.329
	80.00	26.00	26.00	20.50	33109	0.56
	85.00	20.75	19.00	16.00	30209	0.476
	85.00	24.75	23.00	19.00	32209	0.584
	85.00	25.00	23.50	20.00	127509	0.579
	85.00	32.00	32.00	24.50	33209	0.82
	90.00	30.00	29.00	24.50	7809K	0.846
	100.00	27.25	25.00	18.00	31309	0.947
	100.00	27.25	25.00	22.00	30309	0.985
	100.00	31.75	29.00	20.50	27709	1.06
	100.00	38.25	36.00	30.00	32309	1.4
47	100.00	43.00	43.00	37.00	7909	1.66
50	80.00	20.00	20.00	15.50	32010	0.365
	85.00	26.00	26.00	20.00	33110	0.59
	90.00	21.75	20.00	17.00	30210	0.538
	90.000	24.75	23.00	19.00	32210	0.646
	90.000	32.00	32.00	24.50	33210	0.9
	110.00	29.25	27.00	19.00	31310	1.22
50	110.00	29.25	27.00	23.00	30310	1.28
	110.00	42.25	40.00	33.00	32310	1.89
55	90.00	23.00	23.00	17.50	32011	0.55
	95.00	30.00	30.00	23.00	33111	0.86
	100.00	22.75	21.00	18.00	30211	0.715
	100.00	26.76	25.00	21.00	32211	0.86
	100.00	27.75	26.00	21.00	RJ55A	0.876
	100.00	35.00	35.00	27.00	33211	1.2
	120.00	31.50	29.00	21.00	31311	1.56
	120.00	31.50	29.00	25.00	30311	1.61
	120.00	45.50	43.00	35.00	32311	2.37
60	95.00	23.00	23.00	17.50	32012	0.586
	100.00	30.00	30.00	23.00	33112	0.92
	110.00	23.75	22.00	19.00	30212	0.905
	110.00	29.75	28.00	24.00	32212	1.16
	110.00	38.00	38.00	29.00	33212	1.6




TAPER ROLLER BEARINGS

d	D	T	B	C	Bearing No.	kg
60	130.00	33.50	31.00	22.00	31312	1.91
	130.00	33.50	31.00	26.00	30312	1.95
	130.00	48.50	46.00	37.00	32312	2.9
	130.00	48.50	46.00	37.00	32312B	2.97
65	100.00	23.00	23.00	17.50	32013	0.627
	110.00	30.50	30.00	24.00	30613E	1.13
	110.00	30.50	30.00	24.00	7813	1.1
	110.00	34.00	34.00	26.50	33113	1.3
	120.00	24.75	23.00	20.00	30213	1.12
	120.00	32.75	31.00	27.00	32213	1.54
65	120.00	41.00	41.00	32.00	33213	2.05
	140.00	36.00	33.00	23.00	31313	2.39
	140.00	36.00	33.00	28.00	30313	2.44
	140.00	51.00	48.00	39.00	32313	3.51
	140.00	51.00	48.00	39.00	32313B	3.67
70	110.00	25.00	25.00	19.00	32014	0.842
	120.00	37.00	37.00	29.00	33114	1.7
	125.00	26.25	24.00	21.00	30214	1.26
	125.00	33.25	31.00	27.00	32214	1.63
	125.00	41.00	41.00	32.00	33214	2.1
	150.00	38.00	35.00	25.00	31314	2.95
	150.00	38.00	35.00	30.00	30314	2.99
	150.00	54.00	51.00	42.00	32314	4.35
	150.00	54.00	51.00	42.00	32314B	4.56
75	115.00	25.00	25.00	19.00	32015	0.887
	125.00	37.00	37.00	29.00	33115	1.76
	130.00	27.25	25.00	22.00	30215	1.36
	130.00	33.25	31.00	27.00	32215	1.75
	130.00	41.00	41.00	31.00	33215	2.25
	135.00	44.50	45.00	36.50	30615	2.69
	160.00	40.00	37.00	26.00	31315	3.39
	160.00	40.00	37.00	31.00	30315	3.58
	160.00	58.00	55.00	45.00	32315	5.34
	160.00	58.00	55.00	45.00	32315B	5.44
80	125.00	29.00	29.00	22.00	32016	1.27
	130.00	37.00	37.00	29.00	33116	1.9
80	140.00	28.25	26.00	22.00	30216	1.67
	140.00	35.25	33.00	28.00	32216	2.13
	140.00	45.00	45.00	36.50	30616	2.82
	140.00	46.00	46.00	35.00	33216	2.9
	170.00	42.50	39.00	27.00	31316	4.05
	170.00	42.50	39.00	33.00	30316	4.27
	170.00	61.50	58.00	48.00	32316	6.38
	170.00	61.50	58.00	48.00	32316B	6.58
85	130.00	29.00	29.00	22.00	32017	1.33



TAPER ROLLER BEARINGS

d	D	T	B	C	Bearing No.	kg
85	140.00	41.00	41.00	32.00	33117	2.45
	150.00	30.50	28.00	24.00	30217	2.08
	150.00	38.50	36.00	30.00	32217	2.69
	150.00	49.00	49.00	37.00	33217	3.7
	180.00	44.00	41.00	28.00	31317	4.6
	180.00	44.00	41.00	34.00	30317	4.97
	180.00	63.50	60.00	49.00	32317	7.3
90	140.00	32.00	32.00	24.00	32018	1.73
	150.00	45.00	45.00	35.00	33118	3.1
	160.00	32.50	30.00	26.00	30218	2.53
	160.00	42.50	40.00	34.00	32218	3.43
	190.00	46.50	43.00	30.00	31318	5.9
	190.00	46.50	43.00	36.00	30318	5.79
	190.00	67.50	64.00	53.00	32318	8.78
95	145.00	32.00	32.00	24.00	32019	1.8
	145.00	39.00	39.00	32.50	33019	2.31
	170.00	34.50	32.00	27.00	30219	3.06
	170.00	45.50	43.00	37.00	32219	4.24
95	200.00	49.50	45.00	32.00	31319	6.95
	200.00	49.50	45.00	38.00	30319	6.8
	200.00	71.50	67.00	55.00	32319	10.7
100	150.00	32.00	32.00	24.00	32020	1.87
	180.00	37.00	34.00	29.00	30220	3.72
	180.00	49.000	46.00	39.00	32220	3.72
	180.00	63.000	63.00	48.00	33220	6.78
	215.00	51.50	47.00	39.00	30320	8.2
	215.00	56.50	51.00	35.00	31320	8.6
	215.00	77.50	73.00	60.00	32320	13
105	160.00	35.00	35.000	26.00	32021	2.38
	170.00	38.00	38.00	29.00	320/105	3.23
	190.00	39.00	36.00	30.00	30221	4.39
	190.00	53.00	50.00	43.00	32221	6.31
	225.00	53.50	49.00	41.00	30321	9.91
	225.00	58.00	53.00	36.00	31321	9.65
	225.00	81.50	77.00	63.00	32321	14.5
110	170.00	38.00	38.00	29.00	32022	3.05
	170.00	47.00	47.00	37.00	33022	3.83
	180.00	56.00	56.00	43.00	33122	5.55
	200.00	41.00	38.00	32.00	30222	5.21
	200.00	56.00	53.00	46.00	32222	7.43
	240.00	54.50	50.00	42.00	30322	11.5
	240.00	63.00	57.00	38.00	31322	12
	240.00	84.50	80.00	65.00	32322	17.8
120	180.00	38.00	38.00	29.00	32024	3.2



TAPER ROLLER BEARINGS

d	D	T	B	C	Bearing No.	kg
120	215.00	43.50	40.00	34.00	30224	6.19
	215.00	61.50	58.00	50.00	32224	9.26
	260.00	59.00	55.00	46.00	30324	13.7
	260.00	68.00	62.00	42.00	31324	15.5
	260.00	90.50	86.00	69.00	32324	21.7
130	200.00	45.00	45.00	34.00	32026	4.86
	230.00	43.75	40.00	34.00	30226	6.94
	230.00	67.75	64.00	54.00	32226	11.5
	280.00	63.75	58.00	49.00	30326	17.1
	280.00	72.00	66.00	44.00	31326	18.5
140	210.00	45.00	45.00	34.00	32028	5.19
	250.00	45.75	42.00	36.00	30228	8.75
	250.00	71.75	68.00	58.00	32228	14.4
	300.00	67.75	62.00	53.00	30328	21.7
	300.00	77.00	70.00	47.00	31328	24.5
150	225.00	48.00	48.00	36.00	32030	6.33
	270.00	49.00	45.00	38.00	30230	10.8
	270.00	77.00	73.00	60.00	32230	18.2
	320.00	72.00	65.00	55.00	30330	28.5
	320.00	82.00	75.00	50.00	31330	29.5
160	240.00	51.00	51.00	38.00	32032	7.53
	290.00	52.00	48.00	40.00	30232	12.9
	290.00	84.00	80.00	67.00	32232	21.1
	340.00	75.00	68.00	58.00	30332	29
170	260.00	57.00	57.00	43.00	32034	10.6
	310.00	57.00	52.00	43.00	30234	19
	310.00	91.00	86.00	71.00	32234	28.5
	360.00	80.00	72.00	62.00	30334	35
	360.00	128.00	120.0	100.00	32334	59.5
180	280.00	64.00	64.00	48.00	32036	14.5
	320.00	57.00	52.00	43.00	30236	20
	320.00	91.00	86.00	71.00	32236	29.8
190	290.00	64.00	64.00	48.00	32038	15
	340.00	60.00	55.00	46.00	30238	24
	340.00	97.00	92.00	75.00	32238	36
200	310.00	70.00	70.00	53.00	32040	19.5
	360.00	64.00	58.00	48.00	30240	25
	360.00	104.00	98.00	82.00	32240	42.7
220	340.00	76.00	76.00	57.00	32044	25.5
	400.00	115.00	108.00	90.00	32244	58.3
240	320.00	51.00	51.00	39.00	32948	10.9
	360.00	76.00	76.00	57.00	32048	27.5

